

Renegade Clean-Face Direct-Vent Fireplace WITH TRUFLAME TECHNOLOGY







ACCESSORIZE WITH LINERS & MORE

(Liner Required)



Traditional Stone Ceramic Fiber Liner with ceiling and floor – Large irregular squarecut stones artfully fitted together



Rustic Cottage Brick Ceramic Fiber Liner with ceiling and floor – Ruddy fire-worn bricks in conventional courses



Black Porcelain Liner with matte black ceiling and floor – Reflects the flames to add the illusion of depth




Optional Variable-Speed Double Blower



Decorative Front – Rough-hewn Forged Iron provides a simple border to the fireplace opening. Available Forged Iron Insert installs inside the frame – choose Rectangle (shown) or *Arch

*Decorative Front shown with Arch Insert on front cover



Decorative Door Set with Frame in Forged Iron



Beveled Window Frame 1.5-inch, Brushed Nickel – Adds a modern touch to help transition from the hearth to a more contemporary living space



FIREPLACE FEATURES

- Richly detailed Log Set includes ten logs and three ember chunks plus a bed of lava rock and glowing embers for added realism
- Ceramic Glass Window provides better heat transfer
- TruFlame Technology with catalyst reduces emissions and increases efficiency resulting in the most realistic flames
- Externally adjustable air control lets your installer fine tune your fireplace while it's running to ensure great-looking flames and exceptional performance
- Multifunction Remote Control with intuitive on-screen icons operates burners, two overhead dimmer lights, and the optional blower (if installed)
- Remote operates in three modes:
 - Conventional Thermostat (cycles on and off on high output to maintain temperature)
 - Smart Thermostat (matches heat output to room demand)
 - Manual (control the fireplace from the comfort of the couch including independent operation of front and read burners for up to 70-percent turndown)
- Available in Nat (47,500 Btu) or LP (45,000 Btu)

INSTALLATION CONSIDERATIONS

The clean-face design allows tile, stone or other materials to be applied all the way to the fireplace opening to create a true site-built installation. Direct-Vent technology offers the versatility of installing the Renegade almost anywhere in your home.

Dimensions (in inches)		
DIMENSION	DVCT40CFP	
А	42 3/4	
В	49	
С	24	
D	36 1/2	
Е	40 13/16	
F	16 7/8	
G	36 1/8	
Н	N/A	
I	24 1/2	
J	10 1/16	
K	11 1/4	
L	19 3/8	
М	5 3/16	
N	31 1/2	
0	37 3/8	
Р	14	
Q	1 1/2	
R	42 5/16	

Btus (Max / Min)		
	DVCT40CFP	
Natural	47,500 / 14,500*	
LP	45,000 / 16,000*	


^{*}Minimum with front burner only


Framing Dimensions (in inches)		
	DVCT40CFP	
Height	53 1/2	
Width	49 1/2	
Depth	24	

Specifications			
Type of Gas (State on Order)	Natural or LP		
Iron Pipe Size (N.P.T.)	1/2-inch		
Ignition System	Multifunction Remote		
Venting	5 x 8 inch		

Warranty

10-year limited warranty on combustion chamber, limited lifetime on glass. All other parts carry a three-year limited warranty. All remote controls carry a one-year limited warranty.





Member of the following industry associations:







This appliance is design-certified to the ANSI standard by:









Empire Comfort Systems Inc. 918 Freeburg Ave. Belleville, IL 62220-2623 info@empirecomfort.com AH-00988 9/01/16

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos. Our mantels feature natural veneers and hand-rubbed finishes – wood grain and color will vary. Adjust light levels and use "natural light" incandescent bulbs to enhance the dramatic look for your wooden mantel.